

1. Identification

Product identifier PurCool (61053)
Other means of identification Not available.
Recommended use Condensate drain pan treatment
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Nu-Calgon
Address 2611 Schuetz Road
 St. Louis, MO 63043
 United States
Telephone 314-469-7000 / 800-554-5499
E-mail Not available.

Master Distributor

Aspen Pumps Asia Pacific Pty Ltd
 8 Waddikee Road, Lonsdale SA 5160
 +61 8 8186 4666
 Chemtrec Int'l 1-703-741-5500

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.
Health hazards Skin corrosion/irritation Category 1B
 Serious eye damage/eye irritation Category 1
 Reproductive toxicity Category 1B

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May damage fertility or the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label).

Storage

Store locked up.

Disposal

Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) None known

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		68424-85-1	15 - 40
Urea		57-13-6	15 - 40
Sodium Tetraborate Decahydrate		1303-96-4	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation	IF INHALED: remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTRE or doctor.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor. Never give anything by mouth if victim is unconscious or is convulsing.
Most important symptoms/effects, acute and delayed	May cause respiratory tract irritation or chemical burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Harmful if swallowed. Causes chemical burns to mouth, throat and stomach. May damage fertility or the unborn child.
Indication of immediate medical attention and special treatment needed	Treat symptomatically. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Corrosive vapours.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Ventilate the contaminated area.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not swallow. Pregnant or breastfeeding women must not handle this product. Minimise dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Provide appropriate exhaust ventilation at places where dust is formed. Take off immediately all contaminated clothing and wash it before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Store locked up.

8. Exposure controls/Personal protection

Occupational exposure limits**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable
	TWA	2 mg/m3	Inhalable

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191), as amended

Components	Type	Value
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	TWA	5 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable dust.
	TWA	10 mg/m3	

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	15 minute	6 mg/m3	Inhalable fraction.
	8 hour	2 mg/m3	Inhalable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium Tetraborate Decahydrate (CAS 1303-96-4)	TWA	5 mg/m3

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye/face protection.

Skin protection**Hand protection**

Chemical-resistant protective gloves.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance****Physical state**

Solid.

Form

Tablets

Colour

White

Odour

Slight

Odour threshold

Not available.

pH

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Pour point

Not available.

Specific gravity

Not available.

Partition coefficient (n-octanol/water)

Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid dust generation.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Corrosive vapours.

11. Toxicological information

Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Information on likely routes of exposure	
Ingestion	Causes digestive tract burns.
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity	Not known.
----------------	------------

Components	Species	Test Results
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (CAS 68424-85-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	3412 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	0.3 mg/l/4h, ECHA
<i>Oral</i>		
LD50	Rat	795 mg/kg, ECHA

Components	Species	Test Results
Sodium Tetraborate Decahydrate (CAS 1303-96-4)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 2 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	> 2500 mg/kg, ECHA
Urea (CAS 57-13-6)		
Acute		
Dermal		
LD50	Not available	
Inhalation		
LC50	Not available	
Oral		
LD50	Rat	14300 mg/kg, ECHA
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitisation		
Respiratory sensitisation	Not a respiratory sensitizer.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)		
Not listed.		
Reproductive toxicity	May damage fertility or the unborn child.	
Teratogenicity	Not available.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Ecotoxicity	See below		
Ecotoxicological data			
Components	Species		Test Results
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (CAS 68424-85-1)			
Aquatic			
Fish	LC50	Striped bass (Morone saxatilis)	10.4 - 19.1 mg/L, 96 hours
Urea (CAS 57-13-6)			
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours

Components	Species		Test Results
Aquatic			
Crustacea	EC50	Water flea (<i>Daphnia magna</i>)	3910 mg/L, 48 hours
Fish	LC50	Giant gourami (<i>Colisa fasciata</i>)	5 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
---	--

General DOT Regulated Marine Pollutant.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number	UN1759
Proper shipping name	Corrosive solids, n.o.s., Limited Quantity
Technical name	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard class Packing group	8 III
Marine pollutant	Yes

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number	UN1759
Proper shipping name	Corrosive solids, n.o.s., Limited Quantity
Technical name	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard class	8
Packing group	III
Marine pollutant	Yes

IATA/ICAO (Air)

Basic shipping requirements:


UN number	UN1759
Proper shipping name	Corrosive solids, n.o.s., Limited Quantity
Technical name	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard class	8
Packing group	III
Marine pollutant	Yes

IMDG (Marine Transport)


Basic shipping requirements:

UN number	UN1759
Proper shipping name	Corrosive solids, n.o.s., Limited Quantity
Technical name	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard class	8
Packing group	III
Marine pollutant	Yes

DOT; IMDG; TDG



IATA



15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

No

Classified hazard categories

Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Sodium Tetraborate Decahydrate (CAS 1303-96-4) Listed.

US - Minnesota Haz Subs: Listed substance

Sodium Tetraborate Decahydrate (CAS 1303-96-4) Listed.
Urea (CAS 57-13-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Quaternary ammonium compounds, Listed.
benzyl-C12-16-alkyldimethyl, chlorides (CAS 68424-85-1)
Sodium Tetraborate Decahydrate (CAS 1303-96-4) Listed.
Urea (CAS 57-13-6) Listed.

US. Massachusetts RTK - Substance List

Sodium Tetraborate Decahydrate (CAS 1303-96-4)

US. New Jersey Worker and Community Right-to-Know Act

Sodium Tetraborate Decahydrate (CAS 1303-96-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium Tetraborate Decahydrate (CAS 1303-96-4)

US. Rhode Island RTK

Sodium Tetraborate Decahydrate (CAS 1303-96-4)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

**Disclaimer**

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

31-August-22

Version No.

01

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information

Not available.