



SAFETY DATA SHEET



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	MAGIC SS-4A AEROSOL
ADG	AEROSOLS
Supplier	QUICK SMART PRODUCTS PTY LTD
Manufacturer	ADVANCE CHEMICALS
Address	4 – 8 Malton Court Altona VIC 3018
Telephone	(03)9398 4444 (BH) Poisons Information Centre 131126 (AH) 0425 800 022 (AH)
Recommended Use	Metal Lubricant

2. HAZARDS IDENTIFICATION

Hazard Classification Hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 7th Revised Edition.

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

GHS Classification(s) Aerosol: Pressurised: Category 3
Acute Toxicity: Inhalation: Category 4
Skin Irritation: Category 2
Eye Irritation: Category 2A
Aquatic Toxicity (Chronic): Category 3

GHS Label Elements

Signal Word WARNING

Symbol(s)



Hazard Statements

H229 Pressurized container: may burst if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P251 Pressurised container: Do not pierce or burn, even after use.
P261 Avoid breathing dust/fumes/gas/mist/mist/vapours/spray.
P262 Do not get in eyes, skin or on clothing.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+311 IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.
P308+P314 If exposed or concerned: Get medical advice/attention if you feel unwell.



SAFETY DATA SHEET

**Storage**

P410 + P412

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Other Hazards which do not result in classification

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS No	Concentration
Carbon dioxide propellant	124-38-9	<10
1,2-Dichlorethylene	540-59-0	30 – 60

Other ingredients, determined not to be hazardous subject to the provisions of the Hazardous Substances (identification) Regulations, make up the product concentration to 100%.

4. FIRST AID MEASURES

Poison Information Centres (131126) in each State Capital City can provide additional assistance for scheduled poisons.

Description of necessary measures according to routes of exposure

Eye Contact	If in contact with eyes, hold eyelids apart and flush continuously with clean running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. Obtain medical attention.
Skin Contact	In case of contact with skin, remove contaminated clothing and flush skin with plenty of clean running water (and soap if available) for at least 15 minutes. Seek medical attention if irritation persists.
Inhalation	If inhaled, remove the affected person from further exposure into fresh air. Lay patient down in a well ventilated area. Allow patient to assume most comfortable position and keep warm. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention immediately.
Ingestion	Do NOT induce vomiting. Rinse mouth with water. Contact a doctor or a Poisons Information Centre (Phone: 13 11 26). If vomiting appears imminent or occurs, the head should be kept low so that vomit does not enter the lungs.

Notes to Physician Treat symptomatically.

Most Important Symptoms & Effects, Both Acute & Delayed, Caused by Exposure

See Section 11 for more detailed information on health effects and symptoms.



SAFETY DATA SHEET



5. FIRE FIGHTING MEASURES

General Measures	Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability Conditions	Product is Non Flammable.
Extinguishing Media	Use an extinguishing agent suitable for surrounding fires.
Special Hazards Arising from the Substance or Mixture	Non Flammable. May evolve toxic gases (carbon oxides, halogenated compounds) when heated to decomposition.
Fire/Explosion Hazards	Not flammable. Cool closed containers exposed to fire with water fog. Bursting aerosol containers may be propelled from a fire at high speed.
Special Protective Equipment for Fire Fighters	Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Immediately contact emergency personnel. Eliminate all ignition sources if safe to do so. Keep unnecessary personnel away. Use suitable protective equipment (Section 8 [Exposure Controls/Personal Protection]). Do not touch or walk through spilled material.
Environmental Precautions	Prevent product from entering drains and waterways.
Methods for Cleaning Up	If emergency personnel are unavailable, contain spilt material. For small spills, add non-combustible absorbent material (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal. Pressurized container. Do not puncture, pierce or burn empty can. Note: See Section 8 for personal protective equipment and Section 13 for waste disposal.

7. HANDLING AND STORAGE

Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands thoroughly after handling. Pressurized container. Do not puncture, pierce or burn empty can.
Storage	Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Aerosol containers may explode if exposed to excessive heat (> 50°C). Ensure containers are adequately labelled and protected from physical damage when not in use. Store out of direct sunlight. Check regularly for damaged/leaking containers.



SAFETY DATA SHEET



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Ingredient Name	Exposure Limits
Carbon dioxide	NOHSC TWA: 9000 mg/m ³ 8 hour(s) TWA: 5000 ppm 8 hour(s) STEL: 54,000 mg/m ³ 15 minutes STEL: 30,000 ppm 15 minutes
1,2-Dichloroethylene	NOHSC TWA: 793 mg/m ³ 8 hour(s). Form: All forms TWA: 200 mg/m ³ 8 hour(s). Form: All forms

Engineering Measures Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

Hygiene Measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the toilet facilities and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection

Eyes	Recommended: Safety glasses.
Hands	Wear any impervious glove. Recommended: PVC gloves.
Respiratory	If ventilation is not adequate wear a Type A (Organic vapour) respirator.
Body	When using large quantities or where heavy contamination is likely, wear coveralls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid (Aerosol)
Colour	Colourless
Odour	Hydrocarbon
Boiling Point	Not available
Vapour Pressure	Not available
Specific Gravity	1.1 – 1.3 (Concentrate) (Water =1)
Flash Point	Does not support combustion
Vapour Density	Not available
pH	Not applicable
Solubility	Immiscible in cold water, hot water.



SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

Stability	The product is stable under normal ambient conditions of temperature and pressure.
Conditions to Avoid	Keep out of direct sunlight. Avoid heat, sparks, open flames and other ignition sources.
Materials to Avoid	Oxidizing material.
Hazardous Decomposition Products	May evolve toxic gases (carbon oxides, halogenated compounds) when heated to decomposition.
Hazardous Reactions	No hazardous reactions expected.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Harmful - Irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation. Deliberate misuse by inhaling contents of this aerosol may be fatal.
------------------------------	--

Potential Acute Health Effects

Inhalation	Harmful by Inhalation. Over exposure may result in respiratory irritation, coughing, nausea, dizziness and headache. High level exposure may result in dizziness, drowsiness, breathing difficulties and unconsciousness.
Ingestion	Ingestion is unlikely due to product form.
Skin Contact	Irritant. Prolonged or repeated contact may result in mild irritation. Contact may result in drying and defatting of the skin
Eye Contact	Irritant. Contact may result in irritation, lacrimation, pain and redness.

Potential Chronic Health Effects

Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Reproductive Toxicity	No known significant effects or critical hazards.
Toxicity Data	CARBON DIOXIDE (124-38-9) LCLo (inhalation) 9 pph/5M (human) 1,2-DICHLORETHYLENE (540-59-0) LD50 (oral) 770 mg/kg (rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity Data	Not available for this product.
Persistence/ Degradability	Not available for this product.
Mobility	Not available for this product.
Environmental Risk Phrases	Harmful to aquatic organisms. May cause long term adverse effects in the aquatic environment.



SAFETY DATA SHEET



13. DISPOSAL CONSIDERATIONS

Methods of Disposal The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. TRANSPORT INFORMATION



Classified as a Dangerous Goods for transport (ADG, IMDG, IATA)

Regulation	UN Number	Proper Shipping Name	Class Group	Packing Group
ADG	UN1950	Aerosols	2.2	None Allocated
IMDG	UN1950	Aerosols	2.2	None Allocated
IATA	UN1950	Aerosols	2.2	None Allocated

15. REGULATORY INFORMATION

Australian Inventory Status All substances are listed on AICS or exempt.

AU Classification Xn – Harmful
Xi – Irritant
N – Dangerous for the environment.
R20 – Harmful by inhalation.
R36/38 – Irritating to eyes and skin.
R52/53 – Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

A poison schedule number has not been allocated to this product.

Control of Scheduled Carcinogenic Substances

Ingredient Name	Substance
No listed substance	



SAFETY DATA SHEET



16. OTHER INFORMATION

Contact Person/Point: Technical Information: Ted Powell 0425 800 022

Date of Preparation or last revision of SDS SDS updated: November 2023

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail
AICS	Australian Inventory of Chemical Substances
CAS Number	Chemical Abstracts Service Registry Number
GHS	Globally Harmonised System of Classification and Labelling
HAZCHEM Code	Emergency action code of numbers and letters which gives information to emergency services
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
mg/m³	Milligrams per Cubic Metre
NOHSC	National Occupational Health and Safety Commission
ppm	Parts Per Million
STEL	Short Term Exposure Limit
SDS	Safety Data Sheet
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
TWA	Time Weighted Average

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled in the workplace and in conjunction with other materials. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF SDS