

SAFETY DATA SHEET

AEROGARD BODY ODOURLESS PROTECTION INSECT REPELLENT AEROSOL

Infosafe No.: HXXZU
ISSUED Date : 26/05/2023
ISSUED by: RB (HYGIENE HOME) AUSTRALIA
PTY LTD

Section 1 - Identification

Product Identifier

AEROGARD BODY ODOURLESS PROTECTION INSECT REPELLENT AEROSOL

Product Code

SDS # D0075601

Company Name

RB (HYGIENE HOME) AUSTRALIA PTY LTD (ABN 58 629 549 506)

Address

680 George St Sydney
NSW 2000 AUSTRALIA

Telephone/Fax Number

Tel: +61 (0)2 9857 2000

Emergency Phone Number

Poison information contact: 13 11 26

Recommended use of the chemical and restrictions on use

Aerosol spray.

Other Names

Name	Product Code
AEROGARD BODY ODOURLESS PROTECTION INSECT REPELLENT AEROSOL	Formulation #: FF0069537
AEROGARD BODY ODOURLESS PROTECTION INSECT REPELLENT AEROSOL	Formulation #: FF0069537
AEROGARD BODY ODOURLESS PROTECTION INSECT REPELLENT AEROSOL	SDS # D0075601

Additional Information

SDS no.: D0075601

Formulation #: 0069537

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Aerosols: Category 1

Eye damage/irritation: Category 2A

Signal Word (s)

DANGER

Hazard Statement (s)

H222 Extremely flammable aerosol.

H319 Causes serious eye irritation.

Pictogram (s)

Flame, Exclamation mark

UNCONTROLLED COPY



Precautionary Statement – Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary Statement – Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Precautionary Statement – Storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Precautionary Statement – Disposal

Not Applicable

Precautionary Statement – General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Section 3 - Composition and Information on Ingredients

Ingredients

Name	CAS	Proportion
Ethanol	64-17-5	$\geq 30 - < 60$ %(w/w)
propan-2-ol	67-63-0	$\geq 10 - < 20$ %(w/w)
isobutane	75-28-5	$\geq 10 - < 30$ %(w/w)
Picaridin	119515-38-7	≤ 10 %(w/w)
N-Butane	106-97-8	$\geq 10 - < 30$ %(w/w)

Other Information

Substance/mixture: Mixture

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8(Exposure Controls/Personal Protection).

Section 4 - First Aid Measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

UNCONTROLLED COPY

Ingestion

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Advice to Doctor

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Indication of immediate medical attention and special treatment needed if necessary

Specific treatments: No specific treatment.

Protection for First Aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation

Most important symptoms/effects, acute, delayed and aggravated medical conditions

Over-exposure signs/symptoms:

Eye contact : Adverse symptoms may include the following:
pain or irritation
watering
redness

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

Other Information

See toxicological information (Section 11 (Toxicological Information))

Section 5 - Firefighting Measures

Suitable Extinguishing Media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable Extinguishing Media

None known.

Hazards from Combustion Products

Hazardous thermal decomposition products: No specific data.

Special Protective Equipment for fire fighters

Special protective actions for fire-fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk.

Use water spray to keep fire-exposed containers cool.

Special protective actions for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Specific hazards arising from the chemical

Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard.

UNCONTROLLED COPY

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

Hazchem Code

Not applicable

Decomposition Temperature

Not available.

Section 6 - Accidental Release Measures

Emergency Procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8(Exposure Controls/Personal Protection) on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Clean-up Methods - Small Spillages

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Clean-up Methods - Large Spillages

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13(Disposal Considerations)).

Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1(Identification) for emergency contact information and Section 13(Disposal Considerations) for waste disposal.

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Other Information

See Section 1 (Identification of the Substance/Preparation and Company/Undertaking) for emergency contact information.

See Section 8 (Exposure Controls/Personal Protection) for information on appropriate personal protective equipment.

See Section 13 (Disposal Considerations) for additional waste treatment information.

Section 7 - Handling and Storage

Precautions for Safe Handling

Protective measures:

Put on appropriate personal protective equipment (see Section 8(Exposure Controls/Personal Protection)). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.

Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. See Section 10(Stability and Reactivity) for incompatible materials before handling or use.

Do not store above the following temperature: 50 °C

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

Control parameters

Australia

Ingredient name: ethanol

Exposure limits:

Safe Work Australia (Australia, 4/2018).

TWA: 1880 mg/m³ 8 hours.

TWA: 1000 ppm 8 hours.

Ingredient name: Butane

Exposure limits:

Safe Work Australia (Australia, 1/2014).

TWA: 1900 mg/m³ 8 hours.

TWA: 800 ppm 8 hours.

Ingredient name: propan-2-ol

Exposure limits:

Safe Work Australia (Australia, 4/2018).

STEL: 1230 mg/m³ 15 minutes.

STEL: 500 ppm 15 minutes.

TWA: 983 mg/m³ 8 hours.

TWA: 400 ppm 8 hours.

New Zealand

Ingredient name: ethanol

Exposure limits:

NZ HSWA 2015 (New Zealand, 11/2017).

WES-TWA: 1000 ppm 8 hours.

WES-TWA: 1880 mg/m³ 8 hours.

Ingredient name: butane

UNCONTROLLED COPY

Exposure limits:

NZ HSWA 2015 (New Zealand, 2/2013).

WES-TWA: 800 ppm 8 hours.

WES-TWA: 1900 mg/m³ 8 hours.

Ingredient name: Isopropyl alcohol

Exposure limits:

NZ HSWA 2015 (New Zealand, 11/2017).

WES-TWA: 400 ppm 8 hours.

WES-TWA: 983 mg/m³ 8 hours.

WES-STEL: 1230 mg/m³ 15 minutes.

WES-STEL: 500 ppm 15 minutes.

Engineering Controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Respiratory Protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Eye and Face Protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand Protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body Protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Hygiene Measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Other Information

Environmental exposure control:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Aerosol - Liquid	Colour	Colourless to light yellow.
Odour	Sweet alcoholic	Melting/Freezing Point	Not available.
Boiling Point	Not available.	Decomposition Temperature	Not available.
Solubility	cold water: Partially soluble hot water: Partially soluble	pH	Not available.
Vapour Pressure	Not available.	Relative Vapour Density (Air=1)	Not available.
Evaporation Rate	Not available.	Physical State	Liquid. [Aerosol.]
Odour Threshold	Not available.	Viscosity	Not available.
Partition Coefficient: n-octanol/water (log value)	Not applicable.	Density	0.808 to 0.828 g/cm ³ [25°C (77°F)]
Flash Point	Not applicable.	Flammability	Not available.
Auto-Ignition Temperature	Not available.	Flammable Limits - Lower	Not available.
Flammable Limits - Upper	Not available.	Explosion Limit - Upper	Not available.
Explosion Limit - Lower	Not available.	Initial boiling point and boiling range	Not available.
Relative Density	0.808 to 0.828 g/cm ³ [25°C (77°F)]	Particle Characteristics	Median particle size: Not applicable.

Other Information

Aerosol product:

Type of aerosol : Spray

Heat of combustion : 30.95 kJ/g

Section 10 - Stability and Reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

Chemical Stability

The product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Avoid all possible sources of ignition (spark or flame).

Incompatible Materials

No specific data.

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 - Toxicological Information

Toxicology Information

Information on toxicological effects:

Acute toxicity:

Based on available data, the classification criteria are not met.

UNCONTROLLED COPY

Teratogenicity:
Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Acute Toxicity - Oral

Product/ingredient name: ethanol
Result: LD50 Oral
Species: Rat
Dose: 7 g/kg
Exposure: -

Product/ingredient name: propan-2-ol
Result: LD50 Oral
Species: Rat
Dose: 5000 mg/kg
Exposure: -

Product/ingredient name: Picaridin
Result: LD50 Oral
Species: Rat
Dose: 2236 mg/kg
Exposure: -

Acute Toxicity - Dermal

Product/ingredient name: propan-2-ol
Result: LD50 Dermal
Species: Rabbit
Dose: 12800 mg/kg
Exposure: -

Product/ingredient name: Picaridin
Result: LD50 Dermal
Species: Rat
Dose: >5000 mg/kg
Exposure: -

Acute Toxicity - Inhalation

Product/ingredient name: ethanol
Result: LC50 Inhalation Vapor
Species: Rat
Dose: 124700 mg/m³
Exposure: 4 hours

Product/ingredient name: Butane
Result: LC50 Inhalation Vapor
Species: Rat
Dose: 658000 mg/m³
Exposure: 4 hours

Product/ingredient name: isobutane
Result: LC50 Inhalation Vapor
Species: Rat
Dose: 658000 mg/m³
Exposure: 4 hours

Product/ingredient name: Picaridin
Result: LC50 Inhalation Dusts and mists
Species: Rat
Dose: >4,364 mg/l
Exposure: 4 hours

UNCONTROLLED COPY

Ingestion

No known significant effects or critical hazards.

Inhalation

No known significant effects or critical hazards.

Skin

No known significant effects or critical hazards.

Skin Corrosion/Irritation

Product/ingredient name: ethanol

Result: Skin - Mild irritant

Species: Rabbit

Exposure: 400 milligrams

Result: Skin - Moderate irritant

Species: Rabbit

Exposure: 24 hours 20 milligrams

Product/ingredient name: propan-2-ol

Result: Skin - Mild irritant

Species: Rabbit

Exposure: 500 milligrams

Based on available data, the classification criteria are not met.

Eye

Causes serious eye irritation.

Serious Eye Damage/Irritation

Product/ingredient name: ethanol

Result: Eyes - Moderate irritant

Species: Rabbit

Exposure: 0.06666667 minutes 100 milligrams

Result: Eyes - Mild irritant

Species: Rabbit

Exposure: 24 hours 500 milligrams

Result: Eyes - Moderate irritant

Species: Rabbit

Exposure: 100 microliters

Result: Eyes - Severe irritant

Species: Rabbit

Exposure: 500 milligrams

Product/ingredient name: propan-2-ol

Result: Eyes - Moderate irritant

Species: Rabbit

Exposure: 24 hours 100 milligrams

Result: Eyes - Moderate irritant

Species: Rabbit

Exposure: 10 milligrams

Result: Eyes - Severe irritant

Species: Rabbit

Exposure: 100 milligrams

Product/ingredient name: Aerogard Odourless

Aerosol_FF0069537_D0075601

Result: Eyes - Severe irritant

UNCONTROLLED COPY

Species: Rabbit

Based on test data, causes serious eye irritation.

Respiratory Sensitisation

Based on available data, the classification criteria are not met.

Skin Sensitisation

Product/ingredient name: Picaridin

Route of exposure: Skin

Species: Guinea Pig

Result: Non sensitiser

Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

No known significant effects or critical hazards.

Reproductive Toxicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

STOT - Single Exposure

Name: propan-2-ol

Category: Category 3

Route of exposure: Not applicable.

Target organs: Narcotic effects

STOT - Repeated Exposure

Not available.

Aspiration Hazard

Not available.

Mutagenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

No known significant effects or critical hazards.

Respiratory Irritation

Based on available data, the classification criteria are not met.

Chronic Effects

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Other Information

Information on likely routes of exposure:

Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering

redness

Inhalation: No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Numerical measures of toxicity

Acute toxicity estimates

Route: Inhalation (vapors)

ATE value: 44.11 mg/l

Section 12 - Ecological Information

Ecotoxicity

Conclusion/Summary

Based on available data, the classification criteria are not met.

Persistence and degradability

Not available.

Mobility

Mobility in soil

Soil/water partition coefficient (KOC): Not available.

Bioaccumulative Potential

Product/ingredient name / LogPow / Potential

Product/ingredient name: ethanol

LogPow: -0.35

BCF: -

Potential: low

Product/ingredient name: n-Butane

LogPow: 2.89

BCF: -

Potential: low

Product/ingredient name: propan-2-ol

LogPow: 0.05

BCF: -

Potential: low

Product/ingredient name: isobutane

LogPow: 2.8

BCF: -

Potential: low

Other Adverse Effects

No known significant effects or critical hazards.

Acute Toxicity - Fish

Product/ingredient name: ethanol

Result: Acute LC50 11000000 µg/l Marine water

Species: Fish - Alburnus alburnus

Exposure: 96 hours

UNCONTROLLED COPY

Product/ingredient name: propan-2-ol
Result: Acute LC50 4200 mg/l Fresh water
Species: Fish - Rasbora heteromorpha
Exposure: 96 hours

Acute Toxicity - Daphnia

Product/ingredient name: ethanol
Result: Acute EC50 1074 mg/l Fresh water
Species: Crustaceans - Cypris subglobosa
Exposure: 48 hours

Result: Acute LC50 5680 mg/l Fresh water
Species: Daphnia - Daphnia magna -Neonate
Exposure: 48 hours

Result: Chronic NOEC 100 µl/L Fresh water
Species: Daphnia - Daphnia magna -Neonate
Exposure: 21 days

Product/ingredient name: propan-2-ol
Result: Acute EC50 7550 mg/l Fresh water
Species: Daphnia - Daphnia magna -Neonate
Exposure: 48 hours

Result: Acute LC50 1400000 µg/l Marine water
Species: Crustaceans - Crangon crangon
Exposure: 48 hours

Acute Toxicity - Algae

Product/ingredient name: ethanol
Result: Acute EC50 3306 mg/l Marine water
Species: Algae - Ulva pertusa
Exposure: 96 hours

Result: Chronic NOEC 4.995 mg/l Marine water
Species: Algae - Ulva pertusa
Exposure: 96 hours

Section 13 - Disposal Considerations

Waste Disposal

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14 - Transport Information

Transport Information

Regulation: ADG
UN number: UN1950
UN proper shipping name: AEROSOLS
Transport hazard class(es): 2.1
Packing group: -
Environmental hazards: No.

UNCONTROLLED COPY

Regulatory Information

APVMA Number: 61364

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

HSNO Group Standard: Cosmetic Products

HSNO Approval Number: HSR002552

Approved Handler Requirement: No.

Tracking Requirement: No.

Poisons Schedule

Not Scheduled

Global Inventory Status

Country/Region Inventory	Status Description	Country/Region Inventory	Status Description
Australia (AICS/AIIC)	All components are listed or exempted.		

Section 16 - Any Other Relevant Information

Literature References

Not available.

User Codes

User Title Label	User Codes
Wis Numbers	00655834

Other Information

Key to abbreviations:

ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IBC = Intermediate Bulk Container

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

SWA = Safe Work Australia

HSNO = Hazardous Substances and New Organisms Act 1996

Procedure used to derive the classification:

Classification: FLAMMABLE AEROSOLS - Category 1

Justification: Expert judgment

Classification: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

Justification: Based on test data.

This SDS has been transcribed into Infosafe GHS format from an original, issued by the manufacturer on the date shown. Any disclaimer by the manufacturer may not be included in the transcription.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.