SAFETY DATA SHEET

NIFTI ALL PURPOSE CLEANER SPRAY REGULAR

Infosafe No.: IC03U
ISSUED Date : 01/09/2021
ISSUED by: COLGATE-PALMOLIVE PTY LTD

1. Identification

GHS Product Identifier
NIFTI ALL PURPOSE CLEANER SPRAY REGULAR

Product Code
B02947560003

Company name
COLGATE-PALMOLIVE PTY LTD

Address
345 George Street Sydney
NSW 2000 AUSTRALIA

Telephone/Fax Number
Tel: Consumer affairs: - AU 1800 802 307 (Mon – Fri 7 - 5)

Emergency phone number
CHEMTREC Australia +(61)-290372994
Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use
Recommended use: All purpose cleaner for household use.

Other Names

Name	Product Code
NIFTI ALL PURPOSE CLEANER SPRAY REGULAR	200000052845
NIFTI ALL PURPOSE CLEANER SPRAY REGULAR	SDS Number: 660000004254

Disclaimer
New Zealand Address: Level 4, 45 Knights Road, Lower Hutt.

2. Hazard Identification

GHS classification of the substance/mixture
Serious eye damage/eye irritation: Category 2A

Signal Word (s)
WARNING

Hazard Statement (s)
H319 Causes serious eye irritation.

Pictogram (s)
Exclamation mark

Precautionary statement – Prevention

P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

Precautionary statement – Response
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Other Information
Other hazards which do not result in classification:
None known.

3. Composition/information on ingredients

Ingredients

Name	CAS	Proportion
Dipropylene glycol butoxy ether	29911-28-2	>=1-<3 % w/w
Sodium Dodecyl Benzene Sulfonate	25155-30-0	>=1-<3 % w/w

4. First-aid measures

First Aid Measures
General advice:
If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.

Inhalation
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

Ingestion
Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Skin
If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

Eye contact
Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

Advice to Doctor
Treat symptomatically.

Most important symptoms/effects, acute and delayed
Causes serious eye irritation.

5. Fire-fighting measures

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local cir-cumstances and the surrounding environment.

Unsuitable Extinguishing Media
High volume water jet

Hazards from Combustion Products
No hazardous combustion products are known.

Special Protective Equipment for fire fighters
Wear self-contained breathing apparatus for firefighting if necessary.

Specific Methods
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Specific Hazards Arising From The Chemical
Do not allow run-off from fire fighting to enter drains or water courses.

6. Accidental release measures

Emergency Procedures
Use personal protective equipment.

Methods And Materials For Containment And Cleaning Up
Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Environmental Precautions
Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

7. Handling and storage

Precautions for Safe Handling
Advice on protection against fire and explosion:
Normal measures for preventive fire protection.

Advice on safe handling:
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-plication area.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures:
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities
Conditions for safe storage:
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability:
No decomposition if stored and applied as directed.

8. Exposure controls/personal protection

Occupational exposure limit values
Components with workplace control parameters:
Contains no substances with occupational exposure limit values.

Respiratory Protection
No personal respiratory protective equipment normally required.

Eye Protection
Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand Protection
Remarks: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Body Protection
Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

9. Physical and chemical properties

Properties	Description	Properties	Description
Form	Liquid	**Appearance**	Liquid
Colour	Colourless	**pH**	11.0
Flash Point	No data available		

10. Stability and reactivity

Reactivity
No decomposition if stored and applied as directed.

Chemical Stability
No decomposition if stored and applied as directed.

Conditions to Avoid
No data available

Incompatible materials
Not applicable

Possibility of hazardous reactions
No decomposition if stored and applied as directed.

11. Toxicological Information

Toxicology Information
Acute toxicity:
Not classified based on available information.

Acute Toxicity - Oral
Product:
Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:
SODIUM DODECYL BENZENE SULFONATE:
LD50 (Rat): 1,080 mg/kg
Method: OECD Test Guideline 401

DIPROPYLENE GLYCOL BUTYL ETHER:
LD50 (Rat): 3,160 mg/kg
Method: OECD Test Guideline 401

Acute Toxicity - Inhalation

Product:
Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:
SODIUM DODECYL BENZENE SULFONATE:
Remarks: No data available

DIPROPYLENE GLYCOL BUTYL ETHER:
LC50 (Rabbit): > 2.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute Toxicity - Dermal
Product:
Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:
SODIUM DODECYL BENZENE SULFONATE:
LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

DIPROPYLENE GLYCOL BUTYL ETHER:
LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation
Not classified based on available information.

Components:
SODIUM DODECYL BENZENE SULFONATE:
Species: Rabbit
Method: OECD Test Guideline 404
Result: Skin irritation

DIPROPYLENE GLYCOL BUTYL ETHER:
Result: No skin irritation

Serious eye damage/irritation
Not classified based on available information.

Components:
SODIUM DODECYL BENZENE SULFONATE:
Species: Rabbit
Result: Corrosive
Method: OECD Test Guideline 405

DIPROPYLENE GLYCOL BUTYL ETHER:
Result: No eye irritation

Respiratory sensitisation
Not classified based on available information.

Skin Sensitisation
Not classified based on available information.

Components:
SODIUM DODECYL BENZENE SULFONATE:
Exposure routes: Inhalation

Remarks: No data available
Dermal
Species: Guinea pig
Result: Does not cause skin sensitisation.

DIPROPYLENE GLYCOL BUTYL ETHER:
Exposure routes: Inhalation
Remarks: No data available
Dermal
Result: Does not cause skin sensitisation.

Germ cell mutagenicity
Not classified based on available information.

Carcinogenicity
Not classified based on available information.

Reproductive Toxicity
Not classified based on available information.

STOT-single exposure
Not classified based on available information.

STOT-repeated exposure
Not classified based on available information.

Aspiration Hazard
Not classified based on available information.

Other Information
Further information:
Product:
Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

12. Ecological information

Ecotoxicity
Components:
SODIUM DODECYL BENZENE SULFONATE:
Toxicity to fish (Chronic toxicity):
NOEC (Fish): 3.96 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):
NOEC (Daphnia magna (Water flea)): 1.65 mg/l
Exposure time: 21 d

DIPROPYLENE GLYCOL BUTYL ETHER:
Toxicity to fish (Chronic toxicity):
No data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):
No data available

Persistence and degradability
Components:
SODIUM DODECYL BENZENE SULFONATE:
Biodegradability:
Result: rapidly degradable
Biodegradation: > 60 %
Method: OECD Test Guideline 301F

DIPROPYLENE GLYCOL BUTYL ETHER:

Biodegradability:
Result: Readily biodegradable.

Mobility
Mobility in soil:
No data available

Bioaccumulative Potential
Components:
SODIUM DODECYL BENZENE SULFONATE:
Bioaccumulation: Bioconcentration factor (BCF): 70.19
Partition coefficient: n-octanol/water: log Pow: 1.96 (25 °C)

DIPROPYLENE GLYCOL BUTYL ETHER:
Bioaccumulation: Bioconcentration factor (BCF): 2.58
Partition coefficient: n-octanol/water: log Pow: 1.52

Other Adverse Effects
No data available

Acute Toxicity - Fish
Components:
SODIUM DODECYL BENZENE SULFONATE:
LC50 (Fish): 6.926 mg/l
Exposure time: 96 h
Test Type: static test

DIPROPYLENE GLYCOL BUTYL ETHER:
LC50 (Poecilia reticulata (guppy)): 180 - 230 mg/l
Exposure time: 96 h

Acute Toxicity - Daphnia
Components:
SODIUM DODECYL BENZENE SULFONATE:
Toxicity to daphnia and other aquatic invertebrates:
LC50 (Daphnia magna (Water flea)): 6.3 mg/l
Exposure time: 48 h

DIPROPYLENE GLYCOL BUTYL ETHER:
Toxicity to daphnia and other aquatic invertebrates:
EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Acute Toxicity - Algae
Components:
SODIUM DODECYL BENZENE SULFONATE:
Toxicity to algae/aquatic plants:
EC50 (algae): 65.4 mg/l
Exposure time: 72 h

DIPROPYLENE GLYCOL BUTYL ETHER:
Toxicity to algae/aquatic plants:
ErC50 (Pseudokirchneriella subcapitata (green algae)): 519 mg/l
Exposure time: 96 h

13. Disposal considerations

Waste Disposal
Waste from residues:
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Container Disposal

Contaminated packaging:
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. Transport information

U.N. Number
None Allocated

UN proper shipping name
None Allocated

Transport hazard class(es)
None Allocated

UN Number (Air Transport, ICAO)
NCAD

IATA/ICAO Proper Shipping Name
Not dangerous for conveyance under IATA code

IMDG UN No
NCAD

IMDG Proper Shipping Name
Not dangerous for conveyance under IMO/IMDG code

Other Information
ADG (Australian Dangerous Goods) 7.7:
Not regulated.

NZS (New Zealand's Standards) 5433:
Not regulated.

IATA:
Not regulated.

IMDG:
Not regulated.
IMDG EmS Number: Not applicable.

ADR:
Not regulated.

15. Regulatory information

Regulatory information
Safety, health and environmental regulations/legislation specific for the substance or mixture:
Standard for the Uniform Scheduling of Medicines and Poisons: No poison schedule number allocated

Prohibition/Licensing Requirements: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:
NZIoC: On the inventory, or in compliance with the inventory

Poisons Schedule
Not Scheduled

Australia (AICS)
On the inventory, or in compliance with the inventory

16. Other Information

Contact Person/Point
24Hr Emergency Response
Australia- 1800 638 556
New Zealand- 0800 764 766

User Codes

User Title Label	User Codes
Wis Numbers	00761974

Other Information
This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version: 1.2

SDS Number: 660000004254

Full text of other abbreviations
AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This SDS has been transcribed into Infosafe GHS format from an original, issued by the manufacturer on the date shown.
Any disclaimer by the manufacturer may not be included in the transcription.

END OF SDS