

SAFETY DATA SHEET

SELLEYS ROOF & GUTTER SILICONE

Infosafe No.: MU33M
ISSUED Date : 04/04/2022
ISSUED by: SELLEYS, A DIVISION OF
DULUXGROUP (AUSTRALIA) PTY LTD

Section 1 - Identification

Product Identifier

SELLEYS ROOF & GUTTER SILICONE

Company Name

SELLEYS, A DIVISION OF DULUXGROUP (AUSTRALIA) PTY LTD (ABN 67 000 049 427)

Address

1956 Dandenong Road Clayton
VIC 3168 AUSTRALIA

Telephone/Fax Number

Tel: 1300 555 205

Emergency Phone Number

Australia – 1800 220 770; New Zealand – 0800 220 770

Recommended use of the chemical and restrictions on use

Silicone sealant

UNCONTROLLED COPY

Other Names

Name	Product Code
SELLEYS ROOF & GUTTER SILICONE	Reference No: SELGHSEN001113
SELLEYS ROOF & GUTTER BLACK 310G	102685
SELLEYS ROOF & GUTTER CLASSIC CREAM 300G	102692
SELLEYS ROOF & GUTTER CLASSIC CREAM 300G	100632
SELLEYS ROOF & GUTTER COTTAGE GREEN 300G	102696
SELLEYS ROOF & GUTTER COTTAGE GREEN 300G	100639
SELLEYS ROOF & GUTTER DEEP OCEAN 300G	102697
SELLEYS ROOF & GUTTER DEEP OCEAN 300G	100864
SELLEYS ROOF & GUTTER DUNE 300G	102699
SELLEYS ROOF & GUTTER DUNE 300G	100865
SELLEYS ROOF & GUTTER GALVAN GREY 300G	102693
SELLEYS ROOF & GUTTER GALVAN GREY 300G	100633
SELLEYS ROOF & GUTTER GREY 310G	102686
SELLEYS ROOF & GUTTER GREY 310G##	100623
SELLEYS ROOF & GUTTER GREY 600ML	102065
SELLEYS ROOF & GUTTER GREY 600ML TRADE	102066
SELLEYS ROOF & GUTTER IRONSTONE 300G	102700
SELLEYS ROOF & GUTTER IRONSTONE 300G	100866
SELLEYS ROOF & GUTTER MANOR RED 300G	102695
SELLEYS ROOF & GUTTER MANOR RED 300G	100637
SELLEYS ROOF & GUTTER MONUMENT 300G	102701
SELLEYS ROOF & GUTTER MONUMENT 300G##	100868
SELLEYS ROOF & GUTTER PAPERBARK 300G	102702
SELLEYS ROOF & GUTTER PAPERBARK 300G	100869
SELLEYS ROOF & GUTTER SURFMIST 300G	102703
SELLEYS ROOF & GUTTER SURFMIST 300G##	100870
SELLEYS ROOF & GUTTER TRANS 310G TRIPLE PK	102674
SELLEYS ROOF & GUTTER TRANS 310G TRIPLE PK	100625
SELLEYS ROOF & GUTTER TRANS 600ML TRADE	102067
SELLEYS ROOF & GUTTER TRANSLUCENT 310G	102687
SELLEYS ROOF & GUTTER TRANSLUCENT 310G##	100624
SELLEYS ROOF & GUTTER TRANSLUCENT 600ML	101894
SELLEYS ROOF & GUTTER WHITE 300G	102694
SELLEYS ROOF & GUTTER WHITE 300G##	100636
SELLEYS ROOF & GUTTER WOODLAND GREY 300G	102691
SELLEYS ROOF & GUTTER WOODLAND GREY 300G##	100631

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Flammable liquids: Category 4

UNCONTROLLED COPY

Eye damage/irritation: Category 2A
Sensitisation - skin: Category 1

Signal Word (s)

WARNING

Hazard Statement (s)

H227 Combustible liquid.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Pictogram (s)

Exclamation mark



Precautionary Statement – Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash hands, face and all exposed skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280(w) Wear protective gloves/protective clothing including eye/face protection and suitable respirator.

Precautionary Statement – Response

P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statement – Storage

P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary Statement – Disposal

P501 Dispose of contents/container to / in accordance with local, regional, national and international regulations.

Precautionary Statement – General

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Other Information

This material is hazardous according to the criteria of Safe Work Australia GHS 7.

Hazard Classifications:

Flammable Liquids - Category 4
Eye Damage/Irritation - Category 2A
Sensitisation - Skin - Category 1

DANGEROUS GOOD CLASSIFICATION:

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

UNCONTROLLED COPY

Section 3 - Composition and Information on Ingredients

Ingredients

Name	CAS	Proportion
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime	22984-54-9	1-10 %(w/w)
2-Butanone, O,O',O''-(ethenylsilyldiyl)trioxime	2224-33-1	<1 %(w/w)
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-	1760-24-3	<1 %(w/w)
Ingredients determined to be non-hazardous or below reporting limits		Balance
Cyclotetrasiloxane, octamethyl-	556-67-2	<1 %(w/w)
Methyl ethyl ketoxime	96-29-7	<1 %(w/w)

Other Information

Synonyms / Bar Code

Selleys Roof & Gutter Black 310G 9300697115607
Selleys Roof & Gutter Classic Cream 300G 9300697122520
Selleys Roof & Gutter Classic Cream 300G 9300697122520
Selleys Roof & Gutter Cottage Green 300G 9300697122650
Selleys Roof & Gutter Cottage Green 300G 9300697122650
Selleys Roof & Gutter Deep Ocean 300G 9300697126610
Selleys Roof & Gutter Deep Ocean 300G 9300697126610
Selleys Roof & Gutter Dune 300G 9300697126627
Selleys Roof & Gutter Dune 300G 9300697126627
Selleys Roof & Gutter Galvan Grey 300G 9300697122537
Selleys Roof & Gutter Galvan Grey 300G 9300697122537
Selleys Roof & Gutter Grey 310G 9300697115614
Selleys Roof & Gutter Grey 310G## 9300697115614
Selleys Roof & Gutter Grey 600ML 9300697129284
Selleys Roof & Gutter Grey 600ML TRADE 9300697129284
Selleys Roof & Gutter Ironstone 300G 9300697126634
Selleys Roof & Gutter Ironstone 300G 9300697126634
Selleys Roof & Gutter Manor Red 300G 9300697122636
Selleys Roof & Gutter Manor Red 300G 9300697122636
Selleys Roof & Gutter Monument 300G 9300697126658
Selleys Roof & Gutter Monument 300G## 9300697126658
Selleys Roof & Gutter Paperbark 300G 9300697126665
Selleys Roof & Gutter Paperbark 300G 9300697126665
Selleys Roof & Gutter Surfmist 300G 9300697126672
Selleys Roof & Gutter Surfmist 300G## 9300697126672
Selleys Roof & Gutter Trans 310G TRIPLE PK 9300697111203
Selleys Roof & Gutter Trans 310G TRIPLE PK 9300697111203
Selleys Roof & Gutter Trans 600ML TRADE 9300697129062
Selleys Roof & Gutter Translucent 310G 9300697100399
Selleys Roof & Gutter Translucent 310G## 9300697100399
Selleys Roof & Gutter Translucent 600ML 9300697129062
Selleys Roof & Gutter White 300G 9300697122568
Selleys Roof & Gutter White 300G## 9300697122568
Selleys Roof & Gutter Woodland Grey 300G 9300697122513
Selleys Roof & Gutter Woodland Grey 300G## 9300697122513

Section 4 - First Aid Measures

First Aid Measures

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

UNCONTROLLED COPY

Inhalation

Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Ingestion

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink.

Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Skin

Effects may be delayed. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.

Advice to Doctor

Treat symptomatically. Effects may be delayed.

Protection for First Aiders

Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Section 5 - Firefighting Measures

Suitable Extinguishing Media

If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific Methods

On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

Specific hazards arising from the chemical

Combustible liquid.

Hazchem Code

Not applicable.

Section 6 - Accidental Release Measures

Clean-up Methods - Small Spillages

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

Clean-up Methods - Large Spillages

If safe to do so, shut off all possible sources of ignition. Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Use a spark-free shovel. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Other Information

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid eye contact and skin contact. Avoid inhalation of dust.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition.

Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

Other Information

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Monitoring

As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Controls

Natural ventilation should be adequate under normal use conditions.

Personal Protective Equipment

SAFETY SHOES, OVERALLS, GLOVES, CHEMICAL GOGGLES.

Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene Measures

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Paste	Colour	Various
Odour	Characteristic	Melting Point	Not available
Boiling Point	Not available	Solubility in Water	Insoluble in water
Specific Gravity	1.03	pH	Not applicable
Vapour Pressure	Not available (20 °C)	Relative Vapour Density (Air=1)	>1
Viscosity	>21 mm ² /s @ 40 °C	Flash Point	>61°C (Closed Cup)
Auto-Ignition Temperature	Not available	Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable		

Other Information

Total VOC (g/Litre): Not available

(Typical values only - consult specification sheet)

Section 10 - Stability and Reactivity

Chemical Stability

This material is thermally stable when stored and used as directed.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to Avoid

Elevated temperatures and sources of ignition.

Incompatible Materials

Oxidising agents.

Hazardous Decomposition Products

Oxides of carbon and nitrogen, smoke and other toxic fumes.

Section 11 - Toxicological Information

Acute Toxicity - Oral

This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Acute Toxicity - Dermal

This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Acute Toxicity - Inhalation

This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): LC50 > 5.0 mg/L for dust.

Ingestion

Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Inhalation

Material may be an irritant to mucous membranes and respiratory tract.

Skin

Contact with skin may result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

Skin Corrosion/Irritation

This material has been classified as not corrosive or irritating to skin.

Eye

An eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Serious Eye Damage/Irritation

This material has been classified as a Category 2A Hazard (reversible effects to eyes).

Respiratory Sensitisation

This material has been classified as not a respiratory sensitiser.

Skin Sensitisation

This material has been classified as a Category 1 Hazard (skin sensitiser).

Carcinogenicity

This material has been classified as not a carcinogen.

Reproductive Toxicity

(including via lactation): This material has been classified as not a reproductive toxicant.

STOT - Single Exposure

This material has been classified as not a specific hazard to target organs by a single exposure.

STOT - Repeated Exposure

This material has been classified as not a specific hazard to target organs by repeat exposure.

UNCONTROLLED COPY

Aspiration Hazard

This material has been classified as not an aspiration hazard.

Mutagenicity

This material has been classified as not a mutagen.

Delayed health effects from exposure

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are: For WSA format, please refer to Health Effects Section for acute effects.

Section 12 - Ecological Information

Ecological Information

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure.

Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Mobility

No information available.

Bioaccumulative Potential

No information available.

Section 13 - Disposal Considerations

Waste Disposal

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

Section 14 - Transport Information

UN Number

None Allocated

Proper Shipping Name

None Allocated

Transport Hazard Class

None Allocated

Hazchem Code

Not applicable.

IATA UN Number

NCAD

IATA Proper Shipping Name

Not dangerous for conveyance under IATA code

UNCONTROLLED COPY

IMDG UN Number

NCAD

IMDG Proper Shipping Name

Not dangerous for conveyance under IMO/IMDG code

Additional Information

ROAD AND RAIL TRANSPORT:

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT:

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Section 15 - Regulatory Information

Regulatory Information

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

NZ EPA Status: All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

HSNO Group Standard: HSR002680 - Surface Coatings and Colourants (Combustible, Carcinogenic) Group Standard 2020

Poisons Schedule

N/A

Australian Inventory of Industrial Chemicals (AIIC)

All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

Global Inventory Status

Country/Region Inventory	Status Description	Country/Region Inventory	Status Description
Australia (AICS/AIIC)	All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).		

Section 16 - Any Other Relevant Information

Revisions Made

Reason for issue: First Issue

UNCONTROLLED COPY

User Codes

User Title Label	User Codes
Wis Numbers	01320019
Wis Numbers	06275523
Wis Numbers	07758818

Other Information

Version: 1.0

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS has been transcribed into Infosate GHS format from an original, issued by the manufacturer on the date shown.
Any disclaimer by the manufacturer may not be included in the transcription.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosate system for Infosate SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosate SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.