

NON-HAZARDOUS CHEMICAL, NON-DANGEROUS GOODS

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **TUFF STUFF GREEN**

Synonyms

TUFF STUFF GREEN – CLEANER DEGREASER 20L
TUFF STUFF GREEN – CLEANER DEGREASER 205L
TUFF STUFF GREEN – CLEANER DEGREASER 1000L

Product Code

AC609G-20
AC609G-205
AC609G-1000

Description

TUFF STUFF GREEN is a non-hazardous, green coloured, water based quick break cleaner degreaser concentrate that contains high levels of cleaning and degreasing power in one product. Designed as a natural based substitute for hydrocarbon degreasing liquids this product is effective on most mineral soils and deposits and is ideal for general workshop cleaning and degreasing be it on light or heavy vehicles & equipment, floors, walls, vessels, decks, oil rigs, locomotives. When used according to directions this product is safe on all metals including aluminium, mild steel and magnesium and is also safe on all modern acrylic paints and plastics. This product contains readily biodegradable plant-based surfactants, is low in phosphates, non-toxic, non-allergenic, non-corrosive and non-flammable. This product is quick breaking and is compatible for use in interceptors and plate separators.

Use Recommendations

Use as received or prepare a diluted solution according to the extent of the contamination. Apply by foaming unit, pressure washer venturi, positive displacement pump, weed spray type pump pack, broom & bucket method, or trigger spray. Once applied allow 2-10 minutes dwell time before agitating and then rinse off high pressure water (hot if possible).

Workshop Floor Cleaning:

Apply as received; leave to 10 minutes to work, agitate with brush or ride on scrubber then rinse off with high pressure water (hot water if possible).

Spray & Wipe Degreasing & General Workshop Cleaning

Use neat or dilute up to 1:10 with water depending on soiling, leave 2 minutes then wipe free with rag/towel or rinse with high pressure water (hot is possible).

Wash bay Vehicle & Engine Degreasing

Use as received or dilute up to 1:50 depending on soiling. Apply via foaming system. Allow 5 minutes dwell time before agitating and rinsing off with high pressure water (hot water if possible).

BENEFITS & TIPS

- NON-HAZARDOUS
- COST EFFECTIVE CONCENTRATE
- BIODEGRADABLE SURFACTANTS
- MULTIPURPOSE CONCENTRATE
- SAFE ON MOST SURFACES
- LOW PHOSPHATES
- NON-FLAMMABLE
- NON-ALLERGENIC
- TOUGH ON GREASE & OILS
- QUICK BREAKING

NO UNAUTHORISED COPIES PERMITTED

Official
Safety Data Sheet
(SDS)

This SDS version supersedes
all previous MSDS for the
specified product.



Product: AC609G
Issue Date: 2021 AUG
Issued by: PRS
Version: 1.60
Page: 2 of 7

Supplier: Dynamic Resource Solutions
Supplier Contacts: sales@drsgroup.com.au
1300 795 305
www.drsgroup.com.au
Manufacturer: Able Westchem exclusively for
Dynamic Resource Solution
ABN: 009 353 182
Street Address: 273 Collier Road
Bayswater, WA 6053
Australia
Telephone: +61 8 9471 9111
Facsimile: +61 8 9272 6740

Emergency Telephone number: +61 8 9471 9111 (8.00am-4.30pm: Mon-Fri, AWST)

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
D-limonene	138-86-3	0-1 % (w/w)
Ethylene glycol mono butyl ether	111-76-2	<1 % (w/w)
Ingredients determined to be Non-Hazardous		Balance

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: If required, remove contaminated clothing and loosen remaining clothing. Breathe fresh air. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs discontinue the use of product and seek medical assistance.

Eye contact: If in eyes, hold eyes open, flood with water for at least 15 minutes and seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician: Treat symptomatically.

NO UNAUTHORISED COPIES PERMITTED

MANUFACTURED EXCLUSIVELY FOR DRS BY ABLE WESTCHEM

ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053



5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Firefighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear safety equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Clean up immediately. Wear safety equipment to prevent skin and eye contamination. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

Dangerous Goods – Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Always keep container standing upright position. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
Ethylene glycol mono butyl ether	20	96.9	50	242	Sk

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15-minute period which should not be exceeded at any time during a normal eight-hour workday.

'Sk' Notice - absorption through the skin may be a significant source of exposure. The exposure standard is

NO UNAUTHORISED COPIES PERMITTED

invalidated if such contact should occur.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator. Vapour heavier than air - prevent concentration in hollows or sumps. Do NOT enter confined spaces where vapour may have collected.

Personal Protection Equipment:

Special Note:

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

The selection of PPE is dependent on a full risk assessment. The risk assessment should consider the work situation, physical form of chemical, handling volume and methods, environmental factors/ application area.

If the outcome of risk assessment is considerably low, still manufacturer recommends to use minimum PPE stipulated by the chemical industry practices. Ex: Safety Glasses, Safety shoes, Impervious Gloves and suitable protective clothing such as long sleeve clothes with buttoned at neck and wrist.

GLOVES, SAFETY GLASSES



Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist from spray. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units:	Litres
Form:	Clear Liquid
Colour:	Green
Odour:	Slight orange odour
Solubility in water:	Completely Soluble
Specific Gravity (20 °C):	1.00 -1.04

NO UNAUTHORISED COPIES PERMITTED

MANUFACTURED EXCLUSIVELY FOR DRS BY ABLE WESTCHEM

ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053

Official
Safety Data Sheet
(SDS)

This SDS version supersedes
all previous MSDS for the
specified product.



Product: AC609G
Issue Date: 2021 AUG
Issued by: PRS
Version: 1.60
Page: 5 of 7

Vapour Pressure (20 °C): Approx. 18 mm Hg at 25°C
Flash Point (°C): Not Applicable
pH: 10.0 – 11.40

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >20 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

NO UNAUTHORISED COPIES PERMITTED



MANUFACTURED EXCLUSIVELY FOR DRS BY ABLE WESTCHEM

ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053



Official
Safety Data Sheet
(SDS)

This SDS version supersedes
all previous MSDS for the
specified product.



Product: AC609G
Issue Date: 2021 AUG
Issued by: PRS
Version: 1.60
Page: 6 of 7

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Eco toxicity: No information available.

Persistence and degradability: No information available.

Bio accumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible, material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous

NO UNAUTHORISED COPIES PERMITTED



MANUFACTURED EXCLUSIVELY FOR DRS BY ABLE WESTCHEM

ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053



**Official
Safety Data Sheet
(SDS)**

This SDS version supersedes all previous MSDS for the specified product.



Product: AC609G
Issue Date: 2021 AUG
Issued by: PRS
Version: 1.60
Page: 7 of 7

Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Reasons for issue: Updated section 09 physical parameters for pH range
Issue date: 23/07/2021
Version: 1.60
Able Rating: Green

DISCLAIMER:

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. This product was classified according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS) Revision Version 07.

Able Westchem MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Able Westchem product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Able Westchem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Able Westchem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. For this reason, Able Westchem always recommends a user perform a test patch or trial in small scale or in an inconspicuous area prior to full application to limit possible damage. Testing before beginning any project is also the best way to ensure product effectiveness.

Able Westchem provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Able Westchem makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Able Westchem.

NO UNAUTHORISED COPIES PERMITTED



MANUFACTURED EXCLUSIVELY FOR DRS BY ABLE WESTCHEM

ACN 009 353 182, 273 COLLIER ROAD, BAYSWATER, WESTERN AUSTRALIA 6053

