# **SAFETY DATA SHEET**

# MR SHEEN MULTI-SURFACE POLISH ORIGINAL AEROSOL

Infosafe No.: HYC9T ISSUED Date : 20/07/2022 ISSUED by: RB (HYGIENE HOME) AUSTRALIA PTY LTD

# 1. Identification

#### **GHS Product Identifier**

MR SHEEN MULTI-SURFACE POLISH ORIGINAL AEROSOL

#### **Company name**

RB (HYGIENE HOME) AUSTRALIA PTY LTD (ABN 58 629 549 506)

### Address

680 GEORGE ST SYDNEY NSW 2000 AUSTRALIA

**Telephone/Fax Number** Tel: +61 (0)2 9857 2000

Emergency phone number 13 11 26

**Recommended use of the chemical and restrictions on use** Material uses Polishes, spray (furniture, shoes) Consumer use Consumer use

#### **Other Names**

Name	
SDS #: PSDS9803578 V1.0L	
FORMULATION #: FRM0320024	
FORMULATION #: FRM0320024	
SDS #: PSDS9803578 V1.0L	
MR SHEEN MULTI-SURFACE POLISH ORIGINAL AEROSOL	

# 2. Hazard Identification

### GHS classification of the substance/mixture

Flammable Aerosol: Category 1 Gases under Pressure: Compressed Gas

Signal Word (s) DANGER

Hazard Statement (s) Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

### **Precautionary statement – General**

Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Pictogram (s) Flame,Gas cylinder



# Precautionary statement – Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash hands thoroughly after handling.

**Precautionary statement – Response** Not Applicable

Precautionary statement – Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Precautionary statement – Disposal Not Applicable

**Supplemental Information** Not applicable.

Other Information

Classification of the substance or mixture: FLAMMABLE AEROSOLS - Category 1 GASES UNDER PRESSURE - Compressed gas

Additional information Additional information/advice: INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING CONTENTS CAN BE HARMFUL OR FATAL. CAUTION: Use only as directed. Do not breathe aerosol. Use in well ventilated areas.

Recommendations : No known significant effects or critical hazards. Recommendations : No known significant effects or critical hazards.

Other hazards which do not result in classification: None known.

### 3. Composition/information on ingredients

#### Ingredients

Name	CAS	Proportion
n-Butane	106-97-8	<=10 %(w/w)
propane	74-98-6	<=3 %(w/w)

#### **Other Information**

Substance/mixture : Mixture

Other Non-hazardous ingredients to 100%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### 4. First-aid measures

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Ingestion

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Skin

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

#### Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

#### Advice to Doctor

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### Indication of immediate medical attention and special treatment needed if necessary

Specific treatments : No specific treatment.

#### **Protection for First Aiders**

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### Most important symptoms/effects, acute and delayed

Over-exposure signs/symptoms: Eye contact: Adverse symptoms may include the following: irritation redness

Inhalation: Adverse symptoms may include the following: respiratory tract irritation coughing

Skin contact: No specific data.

Ingestion: No specific data.

**Other Information** See toxicological information (Section 11)

# 5. Fire-fighting measures

#### Suitable Extinguishing Media

Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable Extinguishing Media None known.

Hazards from Combustion Products

Page 3 / 12

Decomposition products may include the following materials: carbon dioxide carbon monoxide

#### **Specific Hazards Arising From The Chemical**

Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard.

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

#### Hazchem Code

2YE

#### **Decomposition Temperature**

Not available.

#### Precautions in connection with Fire

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

#### **Emergency Procedures**

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **Personal Precautions**

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material.

Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### Clean-up Methods - Small Spillages

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### **Clean-up Methods - Large Spillages**

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13).

Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

#### **Environmental Precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### **Other Information**

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# 7. Handling and storage

#### **Precautions for Safe Handling**

Protective measures: Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.

Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

#### Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 8. Exposure controls/personal protection

#### Occupational exposure limit values

Control parameters Australia Occupational exposure limits Ingredient name: n-butane Exposure limits: Safe Work Australia (Australia, 12/2019). TWA: 1900 mg/m<sup>3</sup> 8 hours. TWA: 800 ppm 8 hours. propane ACGIH TLV (United States, 3/2018). Oxygen Depletion [Asphyxiant].

New Zealand Occupational exposure limits : No exposure standard allocated.

Ingredient name: n-butane Exposure limits: NZ HSWA 2015 (New Zealand, 11/2019). WES-TWA: 800 ppm 8 hours. WES-TWA: 1900 mg/m<sup>3</sup> 8 hours. propane NZ HSWA 2015 (New Zealand, 11/2017). Oxygen Depletion [Asphyxiant].

#### Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Respiratory Protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

#### **Eye Protection**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### **Hand Protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body Protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Hygiene Measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Properties	Description	Properties	Description
Form	Aerosol - Liquid	Colour	Colorless.
Physical and chemical properties	The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.	Odour	Not determined
Decomposition Temperature	Not available.	Boiling Point	<34°C <93.2°F
Solubility	Not available.	Solubility in Water	Not available.
рН	Not available.	Vapour Pressure	Not available.
Vapour Density (Air=1)	Not available.	Evaporation Rate	Not available.
Odour Threshold	Not available.	Viscosity	Not available.
Partition Coefficient: n-octanol/water	Not applicable.	Density	0.883 g/cm³ [20°C (68°F)]
Flash Point	<0°C (Closed Cup) <32°F (Closed Cup)	Flammability	Not available.
Auto-Ignition Temperature	Not available.	Flammable Limits - Lower	Not available.
Flammable Limits - Upper	Not available.	Explosion Limit - Upper	Not available.
Explosion Limit - Lower	Not available.	Initial boiling point and boiling range	<34°C (<93.2°F)
Relative density	Not available.	Melting/Freezing Point	Not available.

# 9. Physical and chemical properties

#### **Other Information**

Heat of combustion : 5.511 kJ/g

Flow time (ISO 2431) : Not available.

Particle characteristics Median particle size : Not applicable.

Aerosol product Type of aerosol : Spray

### 10. Stability and reactivity

#### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

**Chemical Stability** The product is stable.

**Conditions to Avoid** Avoid all possible sources of ignition (spark or flame).

#### **Incompatible materials** No specific data.

Hazardous Decomposition Products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

# **11. Toxicological Information**

### **Toxicology Information**

Acute toxicity: Product/ingredient name / Result / Species / Dose / Exposure n-butane LC50 Inhalation Vapor Rat 658000 mg/m<sup>3</sup> 4 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion: Not available.

Sensitisation: Not available.

Teratogenicity: Not available.

Conclusion/Summary: There are no data available on the mixture itself.

Information on likely routes of exposure: Not available.

Symptoms related to the physical, chemical and toxicological characteristics Eye contact: Adverse symptoms may include the following: irritation redness

Inhalation: Adverse symptoms may include the following: respiratory tract irritation coughing

Skin contact: No specific data. Page 7 / 12

#### Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure Potential immediate effects: Not available. Potential delayed effects: Not available.

Long term exposure Potential immediate effects: Not available. Potential delayed effects: Not available.

Numerical measures of toxicity Acute toxicity estimates: Not available.

#### Ingestion

No known significant effects or critical hazards.

#### **Inhalation** No known significant effects or critical hazards.

Skin

No known significant effects or critical hazards.

#### Eye

No known significant effects or critical hazards.

#### Skin corrosion/irritation

Conclusion/Summary : Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Conclusion/Summary : Based on available data, the classification criteria are not met.

# Mutagenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

#### **Respiratory Irritation**

Conclusion/Summary : Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Conclusion/Summary : Based on available data, the classification criteria are not met.

#### Skin Sensitisation Conclusion/Summary : Based on available data, the classification criteria are not met.

**Carcinogenicity** Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

#### **Reproductive Toxicity** Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

STOT-single exposure Not available.

**STOT-repeated exposure** Not available.

Aspiration Hazard Not available.

Chronic Effects Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards. Developmental effects : No known significant effects or critical hazards. Fertility effects : No known significant effects or critical hazards.

# **12.** Ecological information

#### Ecotoxicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

**Persistence and degradability** Not available.

Mobility

Mobility in soil Soil/water partition coefficient (KOC): Not available

#### **Bioaccumulative Potential**

Product/ingredient name / LogPow / BCF / Potential n-butane 2.89 - low propane 1.09 - low

**Other Adverse Effects** No known significant effects or critical hazards.

### **13.** Disposal considerations

#### Waste Disposal

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

### 14. Transport information

U.N. Number 1950 UN proper shipping name AEROSOLS Transport hazard class(es) 2.1 Hazchem Code 2YE IERG Number 49 UN Number (Air Transport, ICAO) 1950

### IATA/ICAO Hazard Class

2.1

**IMDG UN No** 1950

IMDG Proper Shipping Name

AEROSOLS

### IMDG Hazard Class

2.1

### **Special Precautions for User**

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### **Other Information**

ADG UN number: UN1950 UN proper shipping name: AEROSOLS Transport hazard class (es): 2.1 Environmental hazards: No.

ADR/RID

UN number: UN1950 UN proper shipping name: AEROSOLS Transport hazard class (es): 2.1 Environmental hazards: No.

#### IMDG

UN number: UN1950 UN proper shipping name: AEROSOLS Transport hazard class (es): 2.1 Environmental hazards: No.

#### ΙΑΤΑ

UN number: UN1950 UN proper shipping name: Aerosols, flammable Transport hazard class (es): 2.1 Environmental hazards: No.

Additional information ADG Hazchem code: 2YE Special provisions: 63, 190, 277, 327

#### ADR/RID

Limited quantity: 1 L Special provisions: 190, 327, 625, 344 Tunnel code: (D)

IMDG

Emergency schedules: F-D, S-U Special provisions: 63, 190, 277, 327, 959, 344

IATA

Quantity limitation Passenger and Cargo Aircraft: 75 kg. Packaging instructions: 203. Cargo Aircraft Only: 150 kg. Packaging instructions: 203. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y203. Special provisions: A145, A167, A802

Transport in bulk according to IMO instruments: Not available.

# 15. Regulatory information

# **Regulatory information**

Standard for the Uniform Scheduling of Medicines and Poisons: Not scheduled

Model Work Health and Safety Regulations - Scheduled Substances: No listed substance

Australia inventory (AIIC) : All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. HSNO Approval Number : HSR002515 HSNO Group Standard : Aerosols (Flammable) Approved Handler Requirement: Not applicable. Tracking Requirement : Not applicable.

# **Poisons Schedule**

Not Scheduled

# **16. Other Information**

# References

#### Not available.

#### **User Codes**

User Title Label	User Codes
Wis Numbers	08194811
Wis Numbers	08195014

#### **Other Information**

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016).

Key to abbreviations : ADG = Australian Dangerous Goods ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NOHSC = National Occupational Health and Safety Commission SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations

Version: 1.0L

Procedure used to derive the classification: Classification / Justification FLAMMABLE AEROSOLS - Category 1 On basis of test data. GASES UNDER PRESSURE - Compressed gas On basis of test data.

Indicates information that has changed from previously issued version.

Please read all labels carefully before using product.

This SDS has been transcribed into Infosafe GHS format from an original, issued by the manufacturer on the date shown. Any disclaimer by the manufacturer may not be included in the transcription.

# **END OF SDS**

#### © Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.