

UNCONTROLLED COPY

# SAFETY DATA SHEET

## DETTOL HAND SANITIZER ORIGINAL

Infosafe No.: HXYKX  
ISSUED Date : 14/12/2022  
ISSUED by: RECKITT BENCKISER (AUSTRALIA)  
PTY LIMITED

### Section 1 - Identification

---

**Product Identifier**

DETTOL HAND SANITIZER ORIGINAL

**Product Code**

SDS no.: D0056641

**Company Name**

RECKITT BENCKISER (AUSTRALIA) PTY LIMITED (ABN 17 003 274 655)

**Address**

680 George Street Sydney  
NSW 2000 AUSTRALIA

**Telephone/Fax Number**

Tel: +61 (0)2 9857 2000

**Emergency Phone Number**

Australia - 13 11 26  
New Zealand - 0800 764 766 or 0800 POISON

**Recommended use of the chemical and restrictions on use**

Product use : Hand Sanitizer.

## UNCONTROLLED COPY

### Other Names

Name	Product Code
DETTOL HAND SANITIZER REFRESH	SDS no.: D0056641
DETTOL HAND SANITIZER PURITY	SDS no.: D0056641
DETTOL HAND SANITIZER BLUSH/SOOTHE	SDS no.: D0056641
DETTOL HAND SANITIZER BLUSH/SOOTHE (RUBIA)	SDS no.: D0056641
DETTOL HAND SANITIZER BLUSH/SOOTHE (RUBIA)	SDS no.: D0056641
DETTOL HAND SANITIZER BLUSH/SOOTHE	SDS no.: D0056641
DETTOL HAND SANITIZER PURITY	SDS no.: D0056641
DETTOL HAND SANITIZER REFRESH	SDS no.: D0056641
DETTOL HAND SANITIZER ORIGINAL	SDS no.: D0056641
DETTOL HAND SANITIZER ORIGINAL	Formulation #: 3146614 - FIL, DETOL,HAND GEL ORIGINAL
DETTOL HAND SANITIZER ORIGINAL	Formulation #: 3146614 - FIL, DETOL,HAND GEL ORIGINAL
DETTOL HAND SANITIZER ORIGINAL	Formulation #: 3162082 - FIL614, DETOL,HAND GEL ORIGINAL
DETTOL HAND SANITIZER ORIGINAL	Formulation #: 3162082 - FIL614, DETOL,HAND GEL ORIGINAL
DETTOL HAND SANITIZER REFRESH	Formulation #: 3146615- FIL, DETOL,HAND GEL REFRESH
DETTOL HAND SANITIZER REFRESH	Formulation #: 3146615- FIL, DETOL,HAND GEL REFRESH
DETTOL HAND SANITIZER PURITY	Formulation #: 3146821- FIL, DETOL,HAND GEL PURITY
DETTOL HAND SANITIZER PURITY	Formulation #: 3146821- FIL, DETOL,HAND GEL PURITY
DETTOL HAND SANITIZER BLUSH/SOOTHE	Formulation #: 3146822- FIL, DETOL,BLUSH/SOOTHE IHS
DETTOL HAND SANITIZER BLUSH/SOOTHE	Formulation #: 3146822- FIL, DETOL,BLUSH/SOOTHE IHS
DETTOL HAND SANITIZER BLUSH/SOOTHE (RUBIA)	Formulation #: 3146823-FIL, DETOL,BLUSH/SOOTHE IHS (Rubia)
DETTOL HAND SANITIZER BLUSH/SOOTHE (RUBIA)	Formulation #: 3146823-FIL, DETOL,BLUSH/SOOTHE IHS (Rubia)

### Additional Information

SDS #: D0056641

Formulation #:

3146614, 3162082 - FIL,DETOL,HAND GEL ORIGINAL;3146615- FIL,DETOL,HAND GEL REFRESH; 3146821- FIL,DETOL,HAND GEL PURITY; 3146822- FIL,DETOL,BLUSH/SOOTHE IHS; 3146823-FIL,DETOL,BLUSH/SOOTHE IHS (Rubia)

## Section 2 - Hazard(s) Identification

### GHS classification of the substance/mixture

Flammable liquids: Category 2

Eye damage/irritation: Category 2A

### Signal Word (s)

DANGER

### Hazard Statement (s)

Highly flammable liquid and vapour.

Causes serious eye irritation.

### Pictogram (s)

Flame, Exclamation mark



### Precautionary Statement – Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

### Precautionary Statement – Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Precautionary Statement – Storage

Store in a well-ventilated place. Keep cool.

### Precautionary Statement – Disposal

P501 Dispose of contents/container to / in accordance with local regulations.

### Precautionary Statement – General

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

## Section 3 - Composition and Information on Ingredients

### Ingredients

Name	CAS	Proportion
Ethanol	64-17-5	$\geq 60 - \leq 75$ %(w/w)

### Other Information

Substance/mixture: Mixture

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8 (Exposure Controls/Personal Protection).

## Section 4 - First Aid Measures

---

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Ingestion

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Skin

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Eye

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

### Advice to Doctor

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### Indication of immediate medical attention and special treatment needed if necessary

Specific treatments: No specific treatment.

### Protection for First Aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### Most important symptoms/effects, acute, delayed and aggravated medical conditions

Over-exposure signs/symptoms:

Eye contact:

Adverse symptoms may include the following:

pain or irritation

watering

redness

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

### Other Information

See toxicological information (Section 11 (Toxicological Information)).

## Section 5 - Firefighting Measures

---

### Suitable Extinguishing Media

Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

### Unsuitable Extinguishing Media

Do not use water jet.

### Hazards from Combustion Products

Decomposition products may include the following materials:

Carbon dioxide

Carbon monoxide

### Special Protective Equipment for fire fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken

## UNCONTROLLED COPY

involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Specific hazards arising from the chemical

Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

### Hazchem Code

•2YE

### Decomposition Temperature

Not available.

## Section 6 - Accidental Release Measures

---

### Emergency Procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 (Exposure Controls/Personal Protection) on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### Clean-up Methods - Small Spillages

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Clean-up Methods - Large Spillages

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13 (Disposal Considerations)). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 (Identification) for emergency contact information and Section 13 (Disposal Considerations) for waste disposal.

### Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Other Information

See Section 1 (Identification) for emergency contact information.

See Section 8 (Exposure Controls/Personal Protection) for information on appropriate personal protective equipment.

See Section 13 (Disposal Considerations) for additional waste treatment information.

## Section 7 - Handling and Storage

---

### Precautions for Safe Handling

Protective measures: Put on appropriate personal protective equipment (see Section 8(Exposure Controls/Personal Protection)). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8(Exposure Controls/Personal Protection) for additional information on hygiene measures.

### Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10(Stability and Reactivity)) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10(Stability and Reactivity) for incompatible materials before handling or use.

## Section 8 - Exposure Controls and Personal Protection

---

### Occupational exposure limit values

Australia:

Occupational exposure limits:

Ingredient name: Ethanol

Exposure limits:

Safe Work Australia (Australia, 12/2019).

TWA: 1880 mg/m<sup>3</sup> 8 hours.

TWA: 1000 ppm 8 hours.

New Zealand:

Occupational exposure limits:

Ingredient name: Ethanol

Exposure limits:

NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020).

WES-TWA: 1000 ppm 8 hours.

WES-TWA: 1880 mg/m<sup>3</sup> 8 hours.

### Engineering Controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### Respiratory Protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Eye and Face Protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

## UNCONTROLLED COPY

### Hand Protection

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### Body Protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Hygiene Measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Other Information

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	Colour	Various
Odour	Not available.	Melting/Freezing Point	Not available.
Boiling Point	>35°C >95°F	Decomposition Temperature	Not available.
Solubility	cold water: Easily soluble hot water: Easily soluble	pH	6.5 to 8 [Conc. (% w/w): 100%]
Vapour Pressure	Not available.	Relative Vapour Density (Air=1)	Not available.
Evaporation Rate	Not available.	Physical State	Liquid. [Gel Gelatinous precipitate.]
Odour Threshold	Not available.	Partition Coefficient: n-octanol/water (log value)	Not applicable.
Density	0.87 to 0.9 g/cm <sup>3</sup> [25°C (77°F)]	Flash Point	15.5°C (Closed Cup) 59.9°F (Closed Cup)
Flammability	Not available.	Auto-Ignition Temperature	Not available.
Flammable Limits - Lower	Not available.	Flammable Limits - Upper	Not available.
Explosion Limit - Upper	Not available.	Explosion Limit - Lower	Not available.
Initial boiling point and boiling range	>35°C (>95°F)	Dynamic Viscosity	Dynamic: 3340 to 15000 mPa·s (3340 to 15000 cP)
Relative Density	0.87 to 0.9	Particle Characteristics	Median particle size: Not applicable.

## Section 10 - Stability and Reactivity

---

### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### Chemical Stability

The product is stable.

### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to Avoid

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

### Incompatible Materials

Reactive or incompatible with the following materials:

Oxidizing materials

### Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 - Toxicological Information

---

### Toxicology Information

Teratogenicity:

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Information on the likely routes of exposure: Not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye contact: Adverse symptoms may include the following: pain or irritation, watering, redness

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure:

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure:

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Numerical measures of toxicity:

Acute toxicity estimates:

Route: Inhalation (vapors)

ATE value: 32 mg/l

### Acute Toxicity - Oral

Product/ingredient name: Ethanol

Result: LD50 Oral

Species: Rat

Dose: 7 g/kg

Conclusion/Summary: Based on test data, the classification criteria are not met.

### Acute Toxicity - Inhalation

Product/ingredient name: Ethanol

Result: LC50 Inhalation Vapor



## UNCONTROLLED COPY

Species: Rat  
Dose: 124700 mg/m<sup>3</sup>  
Exposure: 4 hours

Conclusion/Summary: Based on test data, the classification criteria are not met.

### **Ingestion**

No known significant effects or critical hazards.

### **Inhalation**

No known significant effects or critical hazards.

### **Skin**

No known significant effects or critical hazards.

### **Skin Corrosion/Irritation**

Product/ingredient name: Ethanol  
Result: Skin - Mild irritant  
Species: Rabbit  
Exposure: 400 milligrams

Result: Skin - Moderate irritant  
Species: Rabbit  
Exposure: 24 hours 20 milligrams

Conclusion/Summary: Non-irritant to skin.\*Information is based on toxicity test result of a similar product.

### **Eye**

Causes serious eye irritation.

### **Serious Eye Damage/Irritation**

Product/ingredient name: Ethanol  
Result: Eyes - Moderate irritant  
Species: Rabbit  
Exposure: 0.066666667 minutes 100 milligrams

Result: Eyes - Mild irritant  
Species: Rabbit  
Exposure: 24 hours 500 milligrams

Result: Eyes - Moderate irritant  
Species: Rabbit  
Exposure: 100 microliters

Product/ingredient name: Dettol Hand Wash \_0337802\_8171760\_0342530\_8171755\_D0056641 ANZ  
Result: Eyes - Irritant  
Species: Rabbit  
Exposure: -

Conclusion/Summary: Irritating to eyes.\*Information is based on toxicity test result of a similar product.

### **Respiratory Sensitisation**

Conclusion/Summary: Based on available data, the classification criteria are not met.

### **Skin Sensitisation**

Product/ingredient name: Dettol Hand Wash \_0337802\_8171760\_0342530\_8171755\_D0056641 ANZ  
Route of exposure: Skin  
Species: Human  
Result: Not sensitizing

Non-sensitizer to skin.\*Information is based on toxicity test result of a similar product.

### **Germ Cell Mutagenicity**

Not available.

## UNCONTROLLED COPY

Conclusion/Summary: Based on available data, the classification criteria are not met.

### **Carcinogenicity**

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

### **Reproductive Toxicity**

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

### **STOT - Single Exposure**

Not available.

### **STOT - Repeated Exposure**

Not available.

### **Aspiration Hazard**

Not available.

### **Respiratory Irritation**

Based on available data, the classification criteria are not met.

### **Chronic Effects**

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

## Section 12 - Ecological Information

---

### **Persistence and degradability**

Not available.

### **Mobility**

Mobility in soil:

Soil/water partition coefficient (KOC): Not available.

### **Bioaccumulative Potential**

Product/ingredient name: Ethanol

LogPow: -0.35

BCF: -

Potential: Low

### **Other Adverse Effects**

No known significant effects or critical hazards.

### **Acute Toxicity - Fish**

Product/ingredient name: Ethanol

Result: Acute LC50 11000000 µg/l Marine water

Species: Fish - Alburnus alburnus

Exposure: 96 hours

Conclusion/Summary: Based on available data, the classification criteria are not met.

### **Acute Toxicity - Daphnia**

Product/ingredient name: Ethanol

Result: Acute LC50 5680 mg/l Fresh water

Species: Daphnia - Daphnia magna -Neonate

Exposure: 48 hours

## UNCONTROLLED COPY

Result: Chronic NOEC 100 µl/L Fresh water  
Species: Daphnia - Daphnia magna -Neonate  
Exposure: 21 days

Conclusion/Summary: Based on available data, the classification criteria are not met.

### Acute Toxicity - Algae

Product/ingredient name: Ethanol  
Result: Acute EC50 3306 mg/l Marine water  
Species: Algae - Ulva pertusa  
Exposure: 96 hours

Result: Chronic NOEC 4.995 mg/l Marine water  
Species: Algae - Ulva pertusa  
Exposure: 96 hours

Conclusion/Summary: Based on available data, the classification criteria are not met.

### Acute Toxicity - Other Organisms

Product/ingredient name: Ethanol  
Result: Acute EC50 1074 mg/l Fresh water  
Species: Crustaceans - Cypris subglobosa  
Exposure: 48 hours

Conclusion/Summary: Based on available data, the classification criteria are not met.

## Section 13 - Disposal Considerations

---

### Waste Disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14 - Transport Information

---

### UN Number

1170

### Proper Shipping Name

ETHANOL SOLUTION

### Transport Hazard Class

3

### Packing Group

II

### Hazchem Code

•2YE

### IERG Number

14

### Special Precautions for User

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## UNCONTROLLED COPY

**IATA UN Number**

1170

**IATA Proper Shipping Name**

ETHANOL SOLUTION

**IATA Transport Hazard Class**

3

**IATA Packing Group**

II

**IMDG UN Number**

1170

**IMDG Proper Shipping Name**

ETHANOL SOLUTION

**IMDG Transport Hazard Class**

3

**IMDG Packing Group**

II

**Additional Information**

ADG:

UN number: UN1170

UN proper shipping name: ETHANOL SOLUTION

Transport hazard class(es): 3

Packing group: III

Environmental hazards: No.

ADR/RID:

UN number: UN1170

UN proper shipping name: ETHANOL SOLUTION

Transport hazard class(es): 3

Packing group: III

Environmental hazards: No.

IMDG:

UN number: UN1170

UN proper shipping name: ETHANOL SOLUTION

Transport hazard class(es): 3

Packing group: III

Environmental hazards: No.

IATA:

UN number: UN1170

UN proper shipping name: Ethanol solution

Transport hazard class(es): 3

Packing group: III

Environmental hazards: No.

Additional information:

ADG:

Hazchem code: -2YE

Special provisions: 144

ADR/RID:

Hazard identification number: 33

Limited quantity: 1 L

Special provisions: 144 601

Tunnel code: (D/E)

IMDG:

Emergency schedules: F-E, S-D

Special provisions: 144

## UNCONTROLLED COPY

### IATA:

Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 353.Cargo Aircraft Only: 60 L. Packaging instructions: 364. Limited Quantities -Passenger Aircraft: 1 L. Packaging instructions: Y341.

Special provisions: A3, A58, A180

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not available.

## Section 15 - Regulatory Information

### Regulatory Information

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

HSNO Group Standard: Cosmetic Products

Approved Handler Requirement: No

Tracking Requirement: No

### Poisons Schedule

Not Scheduled

### HSNO Approval Number

HSR002552

### Global Inventory Status

Country/Region Inventory	Status Description	Country/Region Inventory	Status Description
Australia (AICS/AIIC)	All components are listed or exempted.		

## Section 16 - Any Other Relevant Information

### Literature References

Not available.

### User Codes

User Title Label	User Codes
Wis Numbers	02228704
Wis Numbers	02228721
Wis Numbers	02631723

### Other Information

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020).

### Key to abbreviations:

ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IBC = Intermediate Bulk Container

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

SWA = Safe Work Australia

HSNO = Hazardous Substances and New Organisms Act 1996

## UNCONTROLLED COPY

Procedure used to derive the classification:

Classification: FLAMMABLE LIQUIDS - Category 2

Justification: Expert judgment

Classification: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

Justification: On basis of test data

This SDS has been transcribed into Infosafe GHS format from an original, issued by the manufacturer on the date shown.

Any disclaimer by the manufacturer may not be included in the transcription.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.